

HAZARD AND RISK ASSESSMENTS

Severity of hazard: 1= Minor injury 2= Serious injury 3= Major injury or fatality	Likelihood: 1= Unlikely 2= Likely 3= Very likely or inevitable	Population (no. of persons who could be affected): 1= 1-5 persons 2= 6-20 persons 3= 21+ persons	Risk Factor : Severity x Likelihood x Population (min 1, max 27)
---	--	--	---

Location:

On Site

Assessor: P Wright

Activity/Equipment:

Use of RM 15 Equipment.

Date of assessment:

28 Jan 2014

Nature of hazard	Slips, trips, falls	Dust	Noise	Fire/Explosion	Exposure to harmful substances	Entrapment	Impact	Contact	Entanglement	Ejection	Electric shock	RSI/Eyestrain	Manual handling	Other	MAX. RISK FACTOR
Severity	1	-	-	-	-	1	1	1	1	-	-	-	1		1
Likelihood	1	-	-	-	-	1	1	1	1	-	-	-	1		
Population	1	-	-	-	-	1	1	1	1	-	-	-	1		

Control methods and timescale

- **Only persons with appropriate training or with relevant experience allowed to use RM 15 Equipment**
- **Relevant training to be provided by experienced members to new members as required**
- **Always have at least three other person in attendance when RM 15 Equipment being used**
- **Data from RM15 recorder to be downloaded and processed as soon as practical after each days use**
- **Data to be deleted from RM 15 machine as soon as practical after downloading and processing**
- **Equipment to be checked after each days use and maintenance to be carried out as required**
- **RM 15 equipment to be securely stored when not in use**
- **Periods of use per operator to be limited to prevent back pain etc.**